Name Key	(Print last name in CAPS)
, .J	
SECTION 552-56	(same as your lab section)

1.	Read each question carefully before answering.	
2.	Mark the choice that best answers the question or completes the statement.	
3.	Use the scantron provided. Use a no. 2 pencil and clearly mark your choice. If you change an answer, completely erase your previous mark.	
4.	Answer each question. There is no penalty for guessing. However, multiple answers are graded as incorrect, and blank answers are graded as incorrect.	
5.	On the scantron, fill in your last name, first name and initial. Blacken the corresponding letters.	
6.	Fill in your ID, the department=CHEM, Course no. = 101, and Section= your lab section. Blacken the corresponding letters and numbers.	
7.	Use the test for scratch paper.	
8.	Mark your answers on the test so you can check them with the key when it is posted.	
9.	***Turning in a blank scantron results in a grade of zero. ***	
10.	You may be asked to turn in <u>both</u> the scantron and the exam, have your PHOTO ID and your calculator ready to be checked when you do so.	
11.	Work at a steady pace and you will have ample time to finish.	
12.	The keys will be posted on my class web page as soon as possible. You may check your grade at the class web site. Your password is the middle 5 numbers of your student ID followed by the first letter of your last name in CAPS. Be patient and give	

There are 30 questions for 150 points. Good Luck!





Possibly Useful Information

$$M = \frac{\text{mol solute}}{\text{L soln}}$$

$$M_1V_1 = M_2V_2$$

$$\frac{w}{w}\% = \frac{mass}{total\ mass} \times 100$$

A periodic table is also provided on the last page of this exam.

- Q.1 A breaking car converts kinetic energy into heat in the brake pads. This is an example of the ...
- (a) b) Law of conservation of energy
- Law of conservation of heat c) d) Law of conservation of matter
- Law of constant composition Law of multiple proportions
- How many atoms are there in 15 formula units of copper(II) nitrate, Cu(NO₃)₂? Q.2
- a)
- b)
- gatoms * 15 form. units = 135
- 15 c)
- 9.033×10^{24} d) 135

property?

e)

Q.3

- All of the following are properties of antimony. Which one is not a physical
- It is a solid at room temperature.
- It has both yellow and gray forms (allotropes) in the solid state. P
- It is one of the few substances that expands upon freezing. P
- The gray form melts at 631°C. p

Q.4	A sample of nitrogen gas has a mass of 28 grams. It contains $6.022 \times 10^{23} \dots$	
a) o) c) d)	atoms electrons $28g$, $N_2 = 1 mol N_2$ protons neutrons molecules	
Q.5	Which response includes all of the following that are chemical properties of carbon and no physical properties?	
	I. It is a solid at room temperature.	
	II. It undergoes combustion to produce carbon dioxide and water. C III. It boils at 4200°C. ₽	
	IV. It is not attracted strongly by a magnet. P	
	V. Its density is 2.25 g/cm 3 . ρ	
2) 0) 1) 1)	I, III, IV II and IV I and V II III, IV,and V	
Q .6	In the balanced reaction $2 H_2(g) + 2 NO(g) \rightarrow 2 H_2O(g) + N_2(g)$	
	the mol ratio of nitric oxide gas to nitrogen gas is	
a) o) d) e)	1:1 2 mol No: 1 mol No: 12:1	
d)	½:1 More than one of these is correct.	
<i>=)</i>	More than one of these is correct.	
Q .7	What is the coefficient of HBr when the following equation is balanced with the	
	smallest whole number coefficients?	
	3 Br ₂ +3 H ₂ O \rightarrow 5 HBr + HBrO ₃	
32	b) 7	

The elements of Group I are called Q.8

- Rare Earths
- Alkali metals Noble metals
- d) Rare metals
- Alkaline earth metals e)
- What is the molecular formula for ethanol?
- CH₃COOH a)
- CH₃COCH₃ b)
- c) CH3CH2OCH2CH3
- CH3CH2CO2H
- CH₃CH₂OH
- How many grams of CH₄ contain the same number of molecules as 75.0 grams

- 84.2 g
- 3.85 g 66.8 g
- 217 g

- 18 × 10⁹ km 18 × 10⁻⁹ km a) b)
- 18 × 10¹² km 18 × 10⁻¹² km 1.8 × 10⁻¹⁰ km

Q.12 When the following numbers are added, the answer to the correct number of significant figures is ...

- Q.13 What is the percent by mass of nitrogen, N, in ammonium carbonate, $(NH_4)_2CO_3$? Molar mass of $(NH_4)_2CO_3 = 96.09$ amu
- % N = 2 (14.01) x100 = 29.16%
- 27.8% 29.2%
- 33.3%
- Q.14 A room is 12.5 ft wide by 13.4 ft long. The area of the room expressed in metric units is ...

[12 in. = 1 ft, 1 inch = 2.54 cm]

- $12.5 \# * 13.4 \# * \frac{(12)^{2} in^{2}}{1 \#^{2}} * \frac{(2.54)^{2} cm^{2}}{1 m^{2}} * \frac{(10^{2})^{2} m^{2}}{1 cm^{2}} = 15.5 \text{ cm}^{2} \implies 15.6 \text{ m}^{2}$ 15.6 m²
- $1.56 \times 10^{5} \,\mathrm{m}$ 42.1 m²
- 42.1 m
- Q.15 The smallest particle of an element that retains the chemical properties of that element is ...
- An atom
- (a) b) A molecule
- c) d) An ion
- A solid
- A gas
- What volume of 5.56 M NaOH is needed to prepare 450 mL of a 1.45 M NaOH
 - a) 85.2 mL
 - 180 mL
 - 260 mL
 -)117 mL
 - 15.9 mL
- Mill = MzVz
 - $V_1 = \frac{M_2 V_2}{M_1} = \frac{(1.45 \text{ m})(450 \text{ mL})}{5.56 \text{ m}}$ $V_1 = \frac{117.35}{117 \text{ mL}} = \frac{117 \text{ mL}}{117 \text{ mL}}$
- Q.17 Which of the following element/symbol pair is incorrect?
- Fe/iron ~
- Ca/calcium ~
 - Ag/gold X Pb/lead ~
- O/oxygen ✓

Q.18 A compound is analyzed and found to contain 65.13% C, 7.57% H, 14.79% Cℓ, 5.84% N, and 6.67% O. What is the simplest formula for this compound?

a)
$$C_5H_7C\ell N_2O$$
 C $\frac{65.13}{12.01} = 5.4229/.417 = 13$
b) $C_{10}H_7C\ell N_{02}$
c) $C_5H_{14}C\ell_2NO$ H $\frac{7.57}{1.008} = 7.5099/.417 = 18$
e) $CHC\ell NO$ Cl $\frac{14.79}{35.45} = 0.4172/.417 = 1$
 N $\frac{5.84}{14.01} = 0.4168/.417 = 1$

Q.19 Calculate the number of moles of KMnO₄ in 25.5 g KMnO₄. Molar mass KMnO₄ = 158.04 amu

a) 0.0161 mol $\frac{25.53}{0.879 \text{ mol}} = 0.1613 \text{ mol } \text{KMn} 0_4$ b) 0.879 mol $\frac{25.53}{0.161 \text{ mol}} = 0.1613 \text{ mol } \text{KMn} 0_4$ d) 1.88 mol e) 0.632 mol

Q.20 A sample of a PbS was chemically reacted in air to give sulfur dioxide and an oxide of lead. The lead oxide formed is 92.83% lead. What is the simplest formula for this lead oxide?

(a) PbO
$$92.83q = 0.448$$
 (b) 9502 $207.2 amu$.. Pb D

d) Pb₂O₃
e) Pb₃O₄ $7.17q = 0.448$ (0)

- a) A molecule is the smallest particle of a compound that can have a stable independent existence.
- Molecules that consists of more than one type of atom are called polyatomic.
- The atomic number is defined as the number of neutrons in the nucleus. X
 The charge on the electron is negative, the charge on the proton is positive.
- e) Molecules of a compound consist of more than one atom.
- Q.22 When the following chemical reaction is balanced with the smallest integer coefficients, the sum of the coefficients is ...

$$Fe_2O_3(s) + 3CO(g) \rightarrow 3CO_2(g) + 2Fe(s)$$

1+3+2+3 = 9

- a) 4 b) 8
- 9 d) 10
- e) 16

Q.23 How many grams of magnesium are required to produce 5.000 kg Si?

SiC
$$\ell_4$$
 + 2 Mg \rightarrow Si + 2 MgC ℓ_2

(a) 8654 g
5000 g Si = 178.0 md Si * 24.31 g Mg =

(b) 7581 g
c) 4327 g
4327 g
28.0 9 a mu

= 8654) 36 g Mg

[5.000 hg = 5000 g { 4 sig. to.}]

Q.24 Consider the following reaction for the combustion of methane:

$$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2 H_2O(g)$$

If 10.0 g of methane is reacts with 39.9 g of oxygen, how much carbon dioxide is produced? [Assume 100% efficiency.]

a)
$$10.0_g$$
 b) $39.9g$ c) 20.0_g (d) 27.4_g e) 5.00_g

$$\frac{10.0_g}{16.04} = 0.6234 \text{ mol } CH_4 * \frac{DCO_z}{DCH_4} * \frac{44.01_g CO_z}{Imol CO_z} = 27.4_g CO_z$$


$$\frac{396}{32.00} = 1.2468 \text{ mol } O_2 * \frac{DCO_z}{(2)O_2} * \frac{44.01_g CO_z}{Imol CO_z} = 27.4_g CO_z$$

$$\frac{396}{32.00} = 1.2468 \text{ mol } O_2 * \frac{DCO_z}{(2)O_z} * \frac{44.01_g CO_z}{Imol CO_z} = 27.4_g CO_z$$
Stoichiometric aun't S

EX1 CHEM101(DTM)(KOY) FORM K

26 Sep room 200 HELD (1:50 Class)

Q.25 Express 1.5 micrometers in picometers.




= 1.5 × 106 pm

Which of the following is a nonmetal? Q.26

- a) Ca b) Cr e) Cs c) Co
- What mass of SrF_2 can be prepared from the reaction of 8.05 g of $\mathrm{Sr}(\mathrm{OH})_2$ with 3.88 g HF?

molar mass Sr(OH)₂ = 121.64 amu molar mass $SrF_2 = 125.62$ molar mass HF = 20.008 amu



The balanced chemical equation for the reaction of lithium with molecular Q.28 oxygen is ...

FORM K

- 4 Li (s) + 2 O_2 (g) \rightarrow 2 Li₂O (s) a)
- $2 \text{ Li (s)} + 2 \text{ O}_2 \text{ (g)} \rightarrow 2 \text{ LiO (s)}$ b)

- 4 Li (s) + O₂ (g) \rightarrow 2 Li₂O (s) $\stackrel{\triangle}{=}$ Li (s) + 2 O_2 (g) \rightarrow 2 LiO (s)
- $2 \text{ Li (s)} + O (g) \rightarrow \text{ Li}_2O (s)$
- What mass of iron is contained in 86.6 g of pyrite, FeS2? Q.29
- (a) b) c)
- % Fe = $\frac{55.85}{55.85 + 2(32.07)} *100 = 46.54%$
- 29.2 g 47.3 g
- 86.6 * 0.4654 = 40.3 g Fe
- Q.30 A stock solution of hydrofluoric acid, HF, is 15.0% HF, and has a density of 1.20 g/cc. What is the molarity of this solution?
- a) 2.50 M b) 9.00 M c) 10.6 M
- d) 12.0 M
- e) 15.9 M
- 1000 ml * 11209 = 1200 g soln ml (0.150)(1200) = 18010 g HF

End of Test

Q1	Α
Q2	E
Q3	С
Q4	Ε
Q5	D
Q6	A E C P D C A B E D D B C C
Q7	A
Q8	В
Q9	E
Q10	D
Q11	D
Q12	В
Q13	C
Q14	В
Q15	A
Q16	D
Q17	C
Q18	D
Q19	С
Q20	Α
Q21	С
Q22	C
Q23	A
Q24	D
Q25	Α
Q26	D
Q27	B A D C D C A C C A D D C A D C A D C A D C A D D C A D D D D
Q28	C
Q29	A
Q30	B